MINING NO.	APPLICATION
Date	

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING
1588 West North Temple
Salt Lake City, Utah 84116

MINING AND RECLAMATION PLAN
Other forms may be used in lieu of MR 2, provided they contain the same information)

0	they contain the same information)
1.	Name of Applicant or Company Clyde Sanchez Mining
2.	Proposed type of operationMining-Underground
3.	(a) Prior Land Use(s) Mining - Underground
	(b) Current Land Use(s)Mining- Underground
	(c) Possible or Prospective Future Land Use(s) <u>Underground mining</u>
4.	What vegetation exists on the land proposed to be affected scrub cedar
	scrub pinon and rabbit brush
	(a) Types and Estimated Percent cover or density: Very sparse
5.	What is the pH range of soil before mining?
	Name of Person or Agency and method of determining pH Rouse in impossable
	Blill get soil surply tested a sent soon as possible.
6.	Site elevation above sea level Approx. 5900 ft.
7.	In case of coal, oil shale, and bituminous sandstone:
	Principal seam(s) and thickness(es) none
8.	Estimated duration of mining operations Three years plus
9.	Has overburden, waste or rejected materials been classified as acid or alkali producing? ( ) Yes ( $\mathbf{x}$ ) No Does the above material being moved have any other characteristics affecting revegetation? none
10.	Will any underground workings or aquifers be encountered? ( ) Yes $(x)$ No Describe
	Is there an active discharge of water from abandoned deep mines on or crossing the land affected? ( ) Yes ( *) No If yes, describe the quality of water being discharged.

( 0 )	ribe specifically a detailed procedure for:
(a) (b)	The mining sequence The procedure for constructing and maintaining access roads,
(0)	to include a typical cross-section and a profile of the
	proposed road grades.
(c)	The procedure for site preparation including removing trees and brush.
(d)	The method for removing and stockpiling topsoil or disturbed
(0)	materials. The method for the placement or containment of all disturbed
(6)	materials, to include the method for handling of all acid
	or alkali-producing and toxic materials.
(f)	A procedure for final stabilization of disturbed materials.
	GRADING AND REGRADING
cifica	ally describe:
(a)	
(b)	The method of spreading topsoil or upper horizon material
	on the regraded area and indicate the approximate thickness
(c)	of the final surfacing material. What type of soil treatment will be utilized.
(d)	
(e)	Maximum grading slope.
	TESTING
Desca	
Desci	ribe method for testing stability of reclamation fill material.
Desci	ribe method for testing stability of reclamation fill material.  No fill material needed, except soil natural to area.  Tibe method for the testing of soil that is intended to support
Desci	ribe method for testing stability of reclamation fill material.  No fill material needed, except soil natural to area.
Descr veget	no fill material needed., except soil natural to area.  The method for the testing of soil that is intended to support that it is intended to support the support that it is intended to support th
Descr veget	no fill material needed., except soil natural to area.  The method for the testing of soil that is intended to support ration
Descriveget	no fill material needed., except soil natural to area.  The method for the testing of soil that is intended to support that it is intended to support the support that it is intended to support th
Description Ro	Tibe method for testing stability of reclamation fill material.  No fill material needed., except soil natural to area.  Tibe method for the testing of soil that is intended to support sation  Use soil natural to area.  Tibe any soil treatment employed as an aid to revegetation  und waste dump, drag and reseed.
Description Ro	ribe method for testing stability of reclamation fill material.  No fill material needed., except soil natural to area.  The method for the testing of soil that is intended to support that it is intended to support the support that it is intended to support the support that it is intended to support that it is intended to support that it is intended to support the suppo
Description Descri	Tibe method for testing stability of reclamation fill material.  No fill material needed., except soil natural to area.  Tibe method for the testing of soil that is intended to support sation  Use soil natural to area.  Tibe any soil treatment employed as an aid to revegetation  und waste dump, drag and reseed.
Description Descri	Tibe method for testing stability of reclamation fill material.  No fill material needed., except soil natural to area.  Tibe method for the testing of soil that is intended to support sation  Use soil natural to area.  Tibe any soil treatment employed as an aid to revegetation  und waste dump, drag and reseed.  The surface preparation of areas intended to support vegetation:
Description Descri	Tibe method for testing stability of reclamation fill material.  No fill material needed., except soil natural to area.  Tibe method for the testing of soil that is intended to support sation  Use soil natural to area.  Tibe any soil treatment employed as an aid to revegetation  und waste dump, drag and reseed.  The surface preparation of areas intended to support vegetation:
Description Descri	Tibe method for testing stability of reclamation fill material.  No fill material needed., except soil natural to area.  Tibe method for the testing of soil that is intended to support sation  Use soil natural to area.  Tibe any soil treatment employed as an aid to revegetation  und waste dump, drag and reseed.  The surface preparation of areas intended to support vegetation:
Description Descri	Tibe method for testing stability of reclamation fill material.  No fill material needed., except soil natural to area.  Tibe method for the testing of soil that is intended to support sation  Use soil natural to area.  Tibe any soil treatment employed as an aid to revegetation  und waste dump, drag and reseed.  The surface preparation of areas intended to support vegetation:
Description Descri	Tibe method for testing stability of reclamation fill material.  No fill material needed., except soil natural to area. The method for the testing of soil that is intended to support that it is intended to support the soil natural to area.  The any soil treatment employed as an aid to revegetation und waste dump, drag and reseed.  The surface preparation of areas intended to support vegetation:  Drag and reseed.  REVEGETATION
Description Reverse	Tibe method for testing stability of reclamation fill material.  No fill material needed., except soil natural to area. The method for the testing of soil that is intended to support that it is intended to support the soil natural to area.  The soil natural to area.  The any soil treatment employed as an aid to revegetation und waste dump, drag and reseed.  The surface preparation of areas intended to support vegetation:  Drag and reseed.  REVEGETATION  Getation to be completed by:
Descriveget  Descri Ro  Descri Rever	Tibe method for testing stability of reclamation fill material.  No fill material needed., except soil natural to area. The method for the testing of soil that is intended to support that it is intended to support the soil natural to area.  The any soil treatment employed as an aid to revegetation und waste dump, drag and reseed.  The surface preparation of areas intended to support vegetation:  Drag and reseed.  REVEGETATION

(X) Other Hand broadcast

Supplement to Page of 4 - MR Form 2.

11(a). Underground mining

(b). Use roads built in 1953. Will grade and maintain as necessary.

(XXX No new raods proposed at this time.

- (c). None. Site made in 1953.
- (d). Topsoil will not be removed.
- (e). Mine dump. No toxic materials.(f). Round off, drag and reseed.

## GRADING AND REGRADING

- (a) No regrading
- (b) No topsoil disturbed.
- (c)&(d) Water bars and diversion channels.on switch backs.
- (e) Using existing grades.

Species	Rate/ Acre	Planting Location	Facing N-S-E-W	Season to be replan
Cr. Wheatgra	ss 2 lbs.	Pad	NW	Fall
Rabbit brush	1	Pa <b>d</b>	NW	Fall
		t to livestock or vegetation protect		
(x) Yes ( )	No Will		tion be needed	

STATE OFColorado
COUNTY OFMontezuma
I,Clyde R. Sanchez, having been duly sworn
depose and attest that all of the representations contained in the foregoing
application are true to the best of my knowledge; that I am authorized to
complete and file this application on behalf of the Applicant and this
application has been executed as required by law.  Signed: Clyde R. Sanche
Taken, subscribed and sworn to before me the undersigned authority
in my said county, this 23, day of January , 19 78.
Notary Public: Beruldine Sanely
My Commission Expires: <u>Feb. 14, 1980</u>
PLEASE NOTE:
Section 40-8-13(2) of the Mined Land Reclamation Act provides as follows:
"Information relating to the location, size, or nature of the deposit and marked confidential by the operator, shall be protected as confidential information by the Board and the Division and not be a matter of public record in the absence of a written release from the operator, or until the mining operation has been terminated as provided in subsection (2) of section 40-8-21."
Is confidential information contained herein?
YES Clyde & Sonche (Initial)
NO (Initial)
Sections desired to be maintained as confidential information -